

FIG. 1




FIG. 2A




FIG. 2B




FIG. 2C




FIG. 3A




FIG. 3B




FIG. 3C




FIG. 3D




FIG. 3E




FIG. 3F

	The supplication of the contract of the contra	4 }
	AHA-2940AU 🔀	
	IRG: 10 I/O Port: 0xF400 Base Address: 0xF400 BIOS Address: 0xC8000	
	Pci Bus Number: 0	
•	✓ Scan Parity Check ☐ Scan Enable ✓ Drives bigger than 1Gb support	
256—	☑ Reserved Bios Space ☑ Enable Fast 20 transfer mode	
	IV Display (ChIA) initialization message ✓ Bootable CD support	
	Boot Device	The component tends of
	Device ID: 0 Device LUN: 0 Charnet 0	1.0
	256f	256g
	250) —	

FIG. 3G




FIG. 3H

	PLEXTOR	CD-R PX-W4220	T	12
a	eneral Too			
	2	PLEXTOR ED A P	×w42201 1.01	
	Adaptecil	mage Backup Adaptec Disk Imag	BSave:	
52—			Run	
	Magic La	Magic Lantern: the	Pholo CD viewer	
	Scs Ben	chmark SCSIBench	See Aug	
			Rur	
	Link to Ada	ptec Web Site (WEB C	HECKUP)	

FIG. 3I




FIG. 4A





FIG. 4B

275






FIG. 4D




FIG. 5




FIG. 6




FIG. 7